(Vegetable Broduct Series, No. 45.) (Food Substances.)

THE

AGRICULTURAL LEDGER.

1898-No. 19.

INDIGOFERA SP.

(WILD INDIGO.)

[DICTIONARY OF ECONOMIC PRODUCTS, Vol. 17., I. 121-36.]

WILD INDIGO SEED AS A FAMINE FOOD IN BOMBAY AND BERAR.

Report on the Results of Examination of the Seeds at the Research Department, Imperial Institute. By PROFESSOR A. H. CHURCH, M.A., F.R.S.

Other DICTIONARY article that may be consulted:

Famine Foods, Vol. III., P. 32.



CALCUTTA:
OFFICE OF THE SUPERINTENDENT, GOVERNMENT PRINTING, INDIA.
18.98.

The objects of THE AGRICULTURAL LEDGER are:-

in future issues of that work will be assigned to it.

- (1) To provide information connected with agriculture or with economic products in a form which will admit of its ready transfer to ledgers;
 - (2) To secure the maintenance of uniform ledgers (on the plan of the Dictionary) in all offices concerned in agricultural subjects throughout India, so that references to ledger entries made in any report or publication may be readily utilised in all offices where ledgers are kept;
 - (3) To admit of the circulation, in convenient form, of information on any subject connected with agriculture or economic products to officials or other persons interested therein;
- (4) To secure a connection between all papers of interest published on subjects relating to economic products, and the official Dictionary of Economic Products. With this object the information published in these ledgers will uniformly be given under the name and number of the Dictionary article which they more especially amplify. When the subject dealt with has not been taken up in the Dictionary, the position it very possibly would occupy

THE

GRICULTURAL LEDGER

1898-No. 19.

INDIGOPERA SP.

(WILD INDIGO.)

[Distinary of Economic Products, Vol. IV., 1. 121-36.]

WILD INDIGO SEED AS A FAMINE FOOD

IN BOMBAY AND BERAR.

Report on the Results of Examination of the Seeds at the Research Department, Imperial Institute. By Professor A. H. Church, M.A., F.R.S.

The fact that the grain afforded by certain species of Indigofera is easen in years of scarcity is not new. The grains were largely consumed during the Deccan famine of 1877-78, and were described in a paper read by Dr. W. Gray before the Bombay Medical and Physical Society in 185s. The seeds were ground to flour and either alone or mixed with cereals they were made into cakes which were very palauable. They were occasionally eaten in a raw state when ill-effects supervened, but in all cases when properly prepared and cooked they afforded a nourishing food which had all the characters of pulse.

From a letter addressed early this year to the Survey Commissioner and Director, Land Records and Agriculture, Bombay, and kindly communicated by him to the Reporter on Economic Products, it appears that during 1897, a year of great scarcity in India, a considerable number of the people of Majairas and Pandharpur in the Bombay Presidency, were subsisting on these grains.

Seeds more for food in

Properties

The Survey Commissioner in drawing attention to the subject (letter No. a-552, dated 5th Pobruszy 1808) forwarded small samples

of the grain mentioned. These proved to have been correctly described by the Commissioner as Indignofern committee, I granduloss, and I. Imifolia. A second supply desting of 5h of the seeds of each plant was subsequently received from the Survey Commissioner.

The Reporter pointed out that if it was intended that the grains

should be chemically investigated by Professor A. H. Church, a supply of 8 or 10th of each kind would be required. The additional quantity would allow of a duplicate specimen being placed in the Indian Section of the Imperial Institute.

The Survey Commissioner in replying to this request, draw atten-

The Survey Commissioner in replying to this request, drew attention to the fact that the grains had already been analysed by Professor Lyon, Chemical Examiner of Bombay, and enclosed a copy of analysis of these and other seeds made in 188s. The Reporter explained that "the further samples now desired are intended to be sent to the Imperial Institute, London, where Professor Church is

conducting an examination of Indian Food Grains on a special plan of his own in which he brings out very prominently the nutrient

ratio for comparative purposes." In compliance with this request the Survey Commissioner kindly promised to collect and send samples of the wild grains in question after the monsoon when they would be available.

Samples of the seeds mentioned above were forwarded to the Secretary and Curator, Indian Section, Imperial Institute, in the

month of March 1898. At the same time 13b of each kind of seed was sent to the Royal Gardens, Kew, for exhibition in the Economic Museum.

It is a strange coincidence that on the 25th March 1898, '8ir f.

A. Abel wrote to the Reporter and drew his attention to these very seeds, stating that Professor Church considered the Indigoferas

worthy of attention, and hoped it would be possible to send specimens for analysis.

It was evidently found practicable to investigate the grains with the material sent to the Imperial Institute in March, since 8ir F. A. Abel write on 7th October 1898, F. S. S. 154, enclosing a Report by Pre-

fessor A. H. Church on the three Indian Fond-stuffs under reference.

I. 121-36.

Printined to each section of the Report is given certain information furnished through the Survey Commissioner and Director, Land Recordinal Agaiculture, Bousbay, regarding the manner in which the graining prepared for food.

The analysis by Professor Lyon, referred to in the Surgeoing

beview, is also given for the purpose of comparison.

Indigofera cordifolia, Heyne.

Vermenter, Vehrieves (Merwara), RAJ.; Godadi Bodaga, Boltaka, Bosts.

The mode of preparing the grain of Indigofera cordifolia (vern. Beckle) for food is the same as that followed in the case of Indigofera glandulosa. Of the three Indigoferas herein

*described, this one is stated to be consumed the least.

Professor Lyon's analysis as quoted at page 891 of Dr. Dymook's

Vegetable Materia Medica of Western India, second edition, is as

follows :		ta.	
	Average coreal.	Average pulse.	Indigofera cordifolia.
Water	11.69	10 00	5'28
Pat	3,00	3:50	5.83
Albuminates •	g*12	esros	35'91
Carbo-hydrates	71'26	51:30	29'34
Cellulose	3,00	7'14	18-00
Ash *	\$700	300	541
Containing uitrogen (per cent.)	1'46	4'01	548
Nitrogan (grains per ce.)	6-38	17-06	2485
Nutridive earbon (grains per os.)	170'00	170100	141790
Percentage of entritive value as com- pered with— Average cereal			
Averego pulso .	100'00	100'00	900



Report on the Results of Roumination of Seeds of Indignature. Cordifolia, by Professor A. H. Ohunon, M.A., F.R.S.

The seeds of this wild indigo are eaten in times of scarcity and famine. They are very small, 100 weighing less than one grain. When suddenly heated they 'pop' like maise. On analysis these percentages were obtained:—

The autrient-ratio is here 1; 1'6 and the nutrient-value 79. The percentage of albuminoids by the phenol method was identical with the above-given figure.

Indigofera giandulosa, Willd.

Vernacular. — Vikhariyo, Mar.; Barbed, Sholapur; Gavacha malmandi, Kaladgi, Boun.; Vekhariyo, Baragadan, Barapatdiu, Boomidapu, Trl.

In preparing Indigofera glandulosa (vern. Badbadı) for food in Bombay the grain is first pounded, then ground like Bajri and made into bread. The taste of this bread is somewhat bitter. It is, therefore, made and eaten in the same manner as Indigofera linifolia (vern. Pandharphali).

The seed is also eaten in the Hyderabad Assigned Districts. Under instructions from the Conservator, H. A. D., the Divisional Forest Officer of Buldana District forwarded in April last 10 seems of the grain and reported as follows: "This grain grows wild all over the District in the waste fields. The seed was largely used during the famine of 1897 for grinding into flour, and the plants themselves for camel fodder. I can supply 100 seems of the seed if you want." The plant is known in Berar as Barbati of Jungti-methi. Methi is the vernacular for Fenngreek (Trigonells Fornum-greecum) a plant of the same natural order.

Bombay:

Mode of preparing for food.

Conf. p. G.

Borar : Soods

Plant used for fodder.

i. 121-30.

b Bushey and Buss. (A. H. Charle.) INDIGOPERA SR.

The following in Professor Lyon's analysis, Fegujable Materia
Medica of Western India, second edition, p. 891:--



	Average cores.	Average	
Water Pat Albuminates Carbo-bydrases Cellulose Ash Containing nitrogen per cent.	11:58 3:00 9:12 71:36 3:00 2:00 1:46	10°00 3°50 95°06 51°30 7°14 3°00 4°01	8-91 94-25 48-21 16-00 2-63 3-88
Nitrogea (grains per os.) . Nutritive carbon (grains per os.) .	6'38 170'00	17'86 170'00	160.10
Percentage of sutritive value as com- pared with— Average cereal	100'00	100,00	95.00

Professor Church reports as follows on the sample of Indigofera giandulosa:—

The seed of this wild indigo is rather larger than that of Indigofera cordifolia and much resembles that of Indigofera linifolia. 100 seeds of the analysed sample weighed 4½ grains. These are the percentages obtained:—

Albuminoids (from total nitrogen) Soluble carbo-hydrates (by difference) Oil Fibre	Water	r Mar		4	- أحد				•	•	5-1
	Salah		and a lit	TOTAL D	CHAIR S	aroge	in)	4	•		31.0
Pibre	Oil	-	رس بي	THE	es (0)	A comi	rence	•	•	•	467
	Pi-	•	•		•	•	. •	• -	•	•	2.2
	12		•	•	•	•	•	•	•	٠	71

The nutrient-ratio is here 1: 1'6 and the nutrient-value 83. The percentage of albuminoids by the phenoi method was 29'32.

Indigofera linifolia, Rets.

Permaniar.—Torki, Hinn. and Pn.; Bhongra, Bunc.; Tandi Khode baha, Santal.; Burburra, Pandhari pale, Bhangfu, Torki, Bonn.; Pandhi, Nasux; Jawarich malmandi, Kalaigi, Bonn.

r 131-36

HELFERIA SP.

Wild ladige Steel as a Familie Food.

Indignofera limifolia (vera. Pendharpheli) is prepared for food in the following manner: The flour of the grain with the husk removed by pounding is made into bread. This bread has a somewhat bitter tasts and is, therefore, eaten with vegetables or hot condiments. To make the bread palatable Bajri or Jawari is mixed with the grain before grinding in the proportion of 1:3. If bread be prepared of this grain without first pounding it and be eaten continuously for some days it causes swelling of the mouth or body. Professor Lyon's analysis is given below:—

palysis by reference Lyon.

				Average cereal.	Average pulse.	Indigolers limifolia.
Water				11.62	1000	5,000
Pat			-1	3'00	3'50	3'94
Albuminates †		•	•1	g 12	25'06	33'29
Carbo-hydrates		•	٠.۱	71'26	51'30	20'05
Cellulose			[3.00	714	33'90
Ash		•	٠.	2'00	3'00	373
† Containing nitrog	gen per	cent.	•	1.46	4'01	5'37
Nitrogen (grains per oz Nutritive carbon (grain	:.) .			6'38 170'00	17'86	23'49
Percentage of nutritive pared with-	ve valu	e as cor	m:			130.10
Average cereal .	•	•		100'00		
Average pulse	•	•	•	***	100-00	76.20

leport by

10226.

* Vegetable Materia Medica, Western India, second edition, p. 391.

Professor Church's report on the seeds of Indigotera linifolia is as follows:—

The seeds of this common kind of wild indigo are eaten in times of scarcity and famine. They are a little smaller than those of Indigofera glandulosa. The percentages obtained were:—

987.4							1.4	19%	
Water	•		•	•	•	•		•	9.3
Album	inolo	is (fro	m tota	l nit	rogen		•	•	34'3
Soluble	car	bo-hy	drates	(by	differ	ence)		•	43'4
Oil		•				. •	•	•	30
Fibre			•					•	6.2
	-						4. 3		

The nutrient-ratio is here 1: 1'47; the natrient-value is 84.

The phenol method showed 32'2 per cent, of albuminoids.

I. 121-26.

G. C. C. P. O.A.No. 446 R. & A.-Se-99.--. 225,--W. B. G.

All communications regarding THE AGRICULTURAL LEDGER should be addressed to the Editor, Dr. George Watt, Reporter on Economic Products to the Government of India, Calcutta,

*The objects of this publication (as already stated) are to gradually develop and perfect our knowledge of Indian Agricultural and Economic questions. Contributions or corrections and additions will therefore be most welcome.

In order to preserve a necessary relation to the various Departments of Government, contributions will be classified and numbered under certain series. Thus, for example, papers on Veterinary subjects will be registered under the Veterinary Series; those on Forestry in the Forest Series. Papers of more direct Agricultural or Industrial interest will be grouped according as the products dealt with belong to the Vegetable or Animal Kingdom. In a like manner, contributions on Mineral and Metallic subjects will be registered under the Mineral Series.

This sheet and the title-page may be removed when the subject-matter is filed in its proper place, according to the letter and number shown at the bottom of each page.